Burns, Vol. 21, No. 8, 627–636, 1995

Elsevier Science Ltd for ISBI
Printed in Great Britain
0305-4179/95 $10.00 + 0.00

AUTHOR INDEX

Adámkova M., see Toršová V., 47
Adamo C., Esposito G., Lissia M., Vonella M., Zagaria N. and Scuderi N., Epidemiological data on burn injuries in Angola: a retrospective study of 7230 patients, 536
Adeniran A., Shakespeare P., Patrick S., Fletcher A. J. and Rossi L. A. F., Influence of a changed care environment on bacterial colonization of burn wounds, 521
Atkan A. Ö., see Alican İ., 171
Alfie M., Benmeir P., Caspi R., Raveh T., Moor E., Weinberg A., Wexler M. R. and Newman A., Costal osteomyelitis due to an electrical burn, 147
Alibou F., see Boukind E. H., 349
Alican İ., Coşkun T., Yeğen C., Aktan A. Ö., Yalin R. and Yëgen B. C., The effect of thermal injury on gastric emptying in rats, 171
Alonso S., see Herrero F., 308
Armato U., see Wu J., 11
Asai S., see Hataya Y., 313
Astrozjnikova S., see Remensnyder J. P., 323
Aubert J. P., see Voinchet V., 143
Auger F. A., see Germain L., 175
Aytemiz C., see Dibirdik I., 130

Babül A., see Gonül B., 7
Bahechar N., see Boukind E. H., 349
Bailie F. B., see Wilson D. I., 539
Balakrishnan C., Imel L. L., Bandy A. T. and Prasad J. K., Perineal burns in males secondary to spouse abuse, 34
Balakrishnan C., Meininger M. S., Busuito M. J. and Prasad J. K., Burns of the lymphoedematous extremity, 152
Balakrishnan C., Flynn L. M. and Meininger M. S., Stenosing tenosynovitis from migrated skin staples, 392
Balakrishnan C., Rak T. P. and Meininger M. S., Burns of the neuropathic foot following use of therapeutic footbaths, 622
Bandy A. T., see Balakrishnan C., 34
Bang R. L., see Ghoneim I. E., 619
Bansal M., see Gupta M., 469
Bardot J., see Voinchet V., 143
Barisoni D., see Castellani G., 607
Barisoni D., see Wu J., 11
Barker S., see Brown R. A., 371
Bärnthaler J., see Trop M., 544
Barradas R., Use of hospital statistics to plan preventive strategies for burns in a developing country, 191
Barrette R. R., see McKenna S. R., 310
Baruchin A. M., see Nahlieli O., 65
Baruchin A. M., see van der Velden E. M., 304
Batchelor J. S., see Papaevangelou J., 36
Beach D., see Lindenbaum E. S., 110
Beghini D., see Castellani G., 607
Belcher K., see Still Jr J. M., 594
Belcher K. E., see Still Jr J. M., 167
Bell L., see Remensnyder J. P., 323
Ben-Meir P., see Nahlieli O., 65
Benmeir P., see Alfie M., 147
Bennett J. D. C., see Milner S. M., 288
Berger M. M. and Chiolero R., Relations between copper, zinc and selenium intakes and malondialdehyde excretion after major burns, 507
Bhargava J. S., see Kumar R., 96
Bilgin N., see Haberbal M., 601
Bjerknes R., see Vindenes H., 575
Blair J., see Sheridan R. L., 62
Boduragin N., see Isakov E., 616
Bondurand A., see Vilasco B., 291
Bong P. J., see Wallace B. H., 590
Boswick J., see Vandeput J., 364
Boukind E. H., Chafiki N., Terrab S., Alibou F., Bahechar N. and Zerouali N. O., Aetiology of burn injuries in childhood in Casablanca, Morocco: epidemiological data and preventive aspects, 349
Bowen Jones E., Prophylactic anti-lipopolysaccharide freeze-dried plasma in major burns: a double blind controlled trial, 267
Boxma H., see Hupkens P., 57
Boyce S. G., see Marshall L., 356
Bradley T., see Hussmann J., 530
Brandt K. A., see Joskleigrewe F., 297
Braun B., see Struzyna J., 437
Brom J., Köller M., Schlüter B., Müller-Lange P., Ulrich Steinau H. and König W., Expression of the adhesion molecule CD11b and polymerization of actin by polymorphonuclear granulocytes of patients endangered by sepsis, 427
Brown R. A., Grobbelaar A. O., Barker S. and Rode H., A formula to calculate blood cross-match requirements for early burn surgery in children, 371
Bruck J. C., see Jostkleigrewe F., 297
Budkevich L., see Remensnyder J. P., 323
Buletova A. A., see Remensnyder J. P., 323
Burd D. A. R., see Kirkpatrick J. J. R., 483, 495
Burke J. F., see Sheridan R. L., 62
Busuito M. J., see Balakrishnan C., 152

Cadier M. A. and Shakespeare P. G., Burns in octogenerians, 200
Cai B.-R., see Xiao J., 136, 415
Caldwell Jr F. T., Graves D. B. and Wallace B. H., Effect of alpha adrenergic blockade on thermoregulation in adrenal demedullated burned rats, 280
Caldwell Jr F. T., Graves D. B. and Wallace B. H., Effect of adrenal medullectomy on responses in heat production, plasma catecholamines and body temperature of burned rats to changes in the temperature of the hypothalamus, 273
Caldwell Jr F. T., see Wallace B. H., 590
Cárcamo Hermoso C., see Rico Aguado A., 383
Carroll S. M., Gough M., Eadie P. A., McHugh M., Edwards G. and Lawlor D., A 3-year epidemiological review of burn unit admissions in Dublin, Ireland: 1988–91, 379.
Caspi R., see Alfie M., 147
Castellani G., Behini D., Barisoni D. and Marigo M., Suicide attempted by burning: a 10-year study of self-immolation deaths, 607
Çelebi N., see Gonül B., 7
Chafiki N., see Boukind E. H., 349
Chang P., Murray D. J., Olson J. D., Pennell B. J., Lewis R. W. and Kealey G. P., Analysis of changes in coagulation factors after postoperative blood loss in burn and non-burn patients, 432
Chen K.-M., see Wang X.-M., 362
Cheng L. F., see Wang H.-J., 503
Chen T. M., see Wang H.-J., 340, 503
Cheng T. Y., see Wang H.-J., 503
Chiolero R., see Berger M. M., 507
Chmelařová E., see Toršová V., 47
Choinère M., see Latarjet J., 344
Chomicka M., see Struzyna J., 437
Comparin J. P., see Delay E., 449
Cone J. B., see Wallace B. H., 590
Coşkun T., see Alican İ., 171
Csönge L., Pellet S., Szenes A. and István J., Antibiotics in the preservation of allograft and xenograft skin, 102

Dacumos E., see Wurtz R., 181
Davis B. L., see Saffle J. R., 215
Delay E., Foyatier J. L., El Kollali R., Comparin J. P., Weil E. and Latarjet J., Salvage of extensively burned upper limbs by a pedicled latissimus dorsi flap, 449
Desai M. H., see Mlcak R. P., 337
Diao L., see Guo Z.-R., 139
Dibirdik I., Durak N., Kişlaoğlu E., Kutluay T. and Aytemiz C., Effects of prophylactic intravenous immunoglobulin-G therapy on humoral and cellular immune components and their functions in burned patients, 130
DiCarlo J., see Remensnyder J. P., 323
Dickson G. R., see Jerwood D. C., 513
Dickson W. A., see Harper R. D., 205
Doehn M., see Haum A., 194
Dokter J., see Hupkens P., 57
Doleček R., see Toršová V., 47
Duggan D. and Quine S., Burn injuries and characteristics of burn patients in New South Wales, Australia, 83
Duinslaeger L., see Lagey K., 542
Duman H., see Şengezer M., 467
Duminy F., see Hudson D. A., 54
Dunn K. W., see Hurren J. S., 285
Durak N., see Dibirdik I., 130

Eadie P. A., see Carroll S. M., 379
Echinard C., see Voinchet V., 143
Edlich R. F., see Hwang J. C. F., 70
Edwards G., see Carroll S. M., 379
Eichelberger M. R., see Trocki O., 17
El Danaf A., Burn variables influencing survival: a study in 144 cases, 517
El Kollali R., see Delay E., 449
Elwood E., see Heggers J. P., 149
Endo S., see Nakae H., 422
Enion D. S., see Kirkpatrick J. J. R., 483
Erdoğan D., see Gonül B., 7
Ericsson F., see Jonsson C.-E., 471
Escudero M., see Santos F. X., 445
Esposito G., see Adamo C., 536
Evans R. J., Jewkes F., Owen, G., McCabe M. and Palmer D., Intraosseous infusion – a technique available for intravascular administration of drugs and fluids in the child with burns, 552

Featherston D., see Remensnyder J. P., 323
Fernandez-Arjona M., see Herruzo-Cabrera R., 106
Flechsig G., see Jostkleigrewe F., 297
Fletcher A. J., see Adeniran A., 521
Flynn L. M., see Balakrishnan C., 392

Forjuoh S. N., Guyer B. and Smith G. S., Childhood burns in Ghana: epidemiological characteristics and home-based treatment, 24
Foyatier J. L., see Delay E., 449
Freedlander E., see Marshall L., 356

Gao W.-Y., see Guo Z.-R., 139
Gao W. Y., see Yao Y. M., 255
García-Morato V., see Herrero F., 308
García-Torres V., see Herruzo-Cabera R., 106
Garg A. K., see Jain M. L., 72
Germain L., Guignard R., Rouabhia M. and Auger F. A., Early basement membrane formation following the grafting of cultured epidermal sheets detached with thermolysin or Dispase, 175
Germann G. and Kania N. M., Extensive thrombosis of the caval venous system after central venous catheters in severely burned patients, 389
Ghoneim I. E. and Bang R. L., Caecal perforation in a burn patient, 619
Ghosh M. M., see Marshall L., 356
Goil P., see Gupta M., 469
Gonül B., Erdoğan D., Özoğul C., Koz M., Babül A. and Çelebi N., Effect of EGF dosage forms on alkali burned corneal wound healing of mice, 7
Gore M. A., see Noronha W., 550
Gough M., see Carroll S. M., 379
Graves D. B., see Caldwell Jr F. T., 273, 280
Greenleaf G., see Zapata-Sirvent R. L., 185
Grobbelaar A. O., see Hudson D. A., 209
Grobbelaar A. O., see Brown R. A., 371
Grubbauer H. M., see Trop M., 544
Guignard R., see Germain L., 175
Gunji H., see Ono I., 352
Guo Z.-R., Sheng C. Y., Diao L., Gao W.-Y., Yang H.-M., Lin H.-Y. and Han J.-L., Extensive wound excision in the acute shock stage in patients with major burns, 139
Guo Z. R., see Yao Y. M., 255
Gupta M., Bansal M., Gupta A. and Goil P., An unusual case of acute renal failure in burns, 469
Gupta A., see Gupta M., 469
Guyer B., see Forjuoh S. N., 24

Haberbal M., Uçar N. and Bilgin N., Epidemiological survey of burns treated in Ankara, Turkey and desirable burn-prevention strategies, 601
Häck H. J., see Haum A., 194
Hadjiski O. G., see Lesseva M. I., 3
Hamann C., see Santos F. X., 445
Han J.-L., see Guo Z.-R., 139
Hansbrough J. F., see Zapata-Sirvent R. L., 185
Hanumadass M., see Wurtz R., 181
Harper R. D. and Dickson W. A., Reducing the burn risk to elderly persons living in residential care, 205
Hata Y., see Yano K., 500
Hataya Y., Kosaka K., Yamazaki M., Asai S. and Susuki K., Reconstruction of burned nasal alae with vascular island skin flaps pedicled on the infraorbital vessels, 313
Haum A., Perbiz W., Häck H. J., Stark G. B., Spilker G. and Doehn M., Alcohol and drug abuse in burn injuries, 194
Heggers J. P., Muller M. J., Elwood E. and Herndon D. N., Ascariasis pneumonitis: a potentially fatal complication in smoke inhalation injury, 149
Hellbom B., see Trop M., 544
Henckel von Donnersmark G., see Jostkleigrewe F., 297
Herndon D. N., see Heggers J. P., 149
Herndon D. N., see Mlcak R. P., 337
Herrero F., García-Morato V., Salinas V. and Alonso S., An unusual case of lightning injury: a melted silver necklace causing a full thickness linear burn, 308
Herruzo-Cabrera R., Fernandez-Arjona M., Garcia-Torres V., Martinez-Ratero S., Lenguas-Portero F. and Rey-Calero J., Mortality evolution study of burn patients in a critical care burn unit between 1971 and 1991, 106
Hikasa H., see Yano K., 500
Himel H. N., see Hwang J. C. F., 70
Hinnie J., see Inglis A., 212
Holder I. A., Volpel K., Ronald G. and Paranchych W., Studies on multiple *Pseudomonas aeruginosa* isolates from individual burn patients by RFLP, O antigen serotyping and antibiogram analysis, 441
Holguín Holgado P., see Rico Aguado A., 383
Hosokawa K., see Yano K., 500
Huang W.-H., see Liu X.-S., 29
Hudson D. A. and Duminy F., Hot water burns in Cape Town, 54
Hudson D. A. and Grobbelaar A. O., The use of tissue expansion in children with burns of the head and neck, 209
Hupkens P., Boxma H. and Dokter J., Tannic acid as a topical agent in burns: historical considerations and implications for new developments, 57
Hurren J. S., Rehabilitation of the burned patient: James Laing Memorial Essay for 1993, 116
Hurren J. S. and Dunn K. W., Intraosseous infusion for burns resuscitation, 285
Hussmann J., Kucan J. O., Russell R. C., Bradley T. and Zamboni W. A., Electrical injuries – morbidity, outcome and treatment rationale, 530
Hwang J. C. F., Himel H. N. and Edlich R. F., Bilateral amputations following hydrotherapy tank burns in a paraplegic patient, 70

Ijsselmuiden O. E., see van der Velden E. M., 304
Imel L. L., see Balakrishnan C., 34
Inada K., see Nakae H., 422
Inglis A., Hinnie J. and Kinsella J., A metabolic complication of severe burns, 212
Isakov E., Boduragin N., Korzets A. and Susak Z., Reflex sympathetic dystrophy of both patellae following burns, 616
István J., see Csönge L., 102

Jagetia G. C., see Kumar P., 163
Jain M. L. and Garg A. K., Metastatic endophthalmitis in a patient with major burns: a rare complication, 72
Jairath D., see van der Velden E. M., 304
Jerwood D. C. and Dickson G. R., Audit of intensive care burn patients: 1982–92, 513
Jewkes F., see Evans R. J., 552
Johnson L., see Remensnyder J. P., 323
Jones L. M., see McKenna S. R., 310
Jong L.-R. and Lin T.-W., A modified method of harvesting split-thickness skin grafts from the abdomen, 610
Jonsson C.-E. and Ericsson F., Impairment of renal function after treatment of a burn patient with diclofenac, a non-steroidal anti-inflammatory drug, 471
Jønsson B., see Sheller J. P., 50
Jostkleigrewe F., Brandt K. A., Flechsig G., Bruck J. C., Henckel von Donnersmarck G. and Mühlbauer W., Treatment of partial thickness burns of the hand with the preshaped, semipermeable Procel Burn Cover: results of a multicentre study in the burn centres of Berlin, Duisberg and Munich, 297
Jovanovic B., see Wurtz R., 181

Kakibuchi M., see Yano K., 500
Kaneko F., see Ono I., 352
Kania N. M., see Germann G., 389
Karacaoğlan N. and Uysal A., Deep burns following epileptic seizures, 546
Karajovic M., see Wurtz R., 181
Kasai T., see Nakae H., 422
Kealey G. P., see Chang P., 432
Kelly J. P., see Nahlieli O., 65
Kincaid R., see Sarhadi N. S., 91
King W. W. K., see Zekri A. M. B., 586
Kinsella J., see Inglis A., 212
Kirkpatrick J. J. R., Enion D. S. and Burd D. A. R., Hydrofluoric acid burns: a review, 483
Kirkpatrick J. J. R. and Burd D. A. R., An algorithmic approach to the treatment of hydrofluoric acid burns, 495
Kişlaoğlu E., see Dibirdik I., 130
Köller M., see Brom J., 427
Kolotukin A., see Remensnyder J. P., 323
König W., see Brom J., 427
Korzets A., see Isakov E., 616
Kosaka K., see Hataya Y., 313
Koz M., see Gonül B., 7
Krassovsky V., see Remensnyder J. P., 323
Ktsoev R., see Remensnyder J. P., 323
Kucan J. O., see Hussmann J., 530
Kudesia G., see Marshall L., 356
Kumar R., Seth R. K., Sekhon M. S. and Bhargava J. S., Serum lipid peroxide and other enzyme levels of patients suffering from thermal injury, 96
Kumar P. and Jagetia G. C., Modulation of wound healing in Swiss albino mice by different doses of gamma radiation, 163
Kutluay T., see Dibirdik I., 130

Lagey K., Duinslaeger L. and Vanderkelen A., Burns induced by plants, 542
Lai C. S., Lin S. D., Tsai C. C. and Tsai C. W., Running Y–V-plasty for burn scar contracture, 458
Latarjet J. and Choinère M., Pain in burn patients, 344
Latarjet J., see Delay E., 449
Latarjet J., A simple guide to burn treatment, 215
Latenser B. A., see McKenna S. R., 310
Law E. J., see Still Jr J. M., 167, 594
Lawlor D., see Carroll S. M., 379
Lawrence J. C., Some aspects of burns and burns research at Birmingham Accident Hospital 1944–93: A.B. Wallace Memorial Lecture, 1994, 403
Lebedev D., see Remensnyder J. P., 323
Lenguas-Portero F., see Herruzo-Cabrera R., 106
Lesseva M. I. and Hadjiski O. G., Analysis of bacteriuria in patients with burns, 3
Lewis R. W., see Chang P., 432
Li A. N., see Liu X.-S., 29
Lin H.-Y., see Guo Z.-R., 139
Lin T.-W. and Liu C.-H., Pelvic abscess induced by a methicillin-resistant *Staphylococcus aureus* from haematogenous spread via the CVP line in a burn patient, 387
Lin T.-W., An alternative method of skin grafting: the scalp microdermis graft, 374
Lin S. Z., see Wang H. J., 340
Lin S. D., see Lai C. S., 458
Lin T.-W., see Jong L.-R., 610
Lindenbaum E. S., Tendler M. and Beach D., Serum-free cell culture medium induces acceleration of wound healing in guinea-pigs, 110
Lissia M., see Adamo C., 536
Liu X.-S., Yang Z.-C., Luo Z.-H., Huang W.-H. and Li A. N., A preliminary exploration of the relationship between Tumour Necrosis Factor (TNF) and monocytic monocytes in vitro production of interleukin-1 (IL-1) and internal organ dysfunction in severely burned patients, 29
Liu S.-S., see Wang X.-M., 362
Liu C.-H., see Lin T.-W., 387
Lozano T., see Santos F. X., 445
Lu L.-R., see Yao Y.-M., 580
Luo Z.-H., see Liu X.-S., 29
Lybarger P., see Remensnyder J. P., 323

MacNeil S., see Marshall L., 356
Magalon G., see Voinchet V., 143
Mak A. S. Y., Poon A. M. S. and Tung M. K., Use of preputial skin for the release of burn contractures in children, 301
Marigo M., see Castellani G., 607
Marshall L., Ghosh M. M., Boyce S. G., MacNeil S., Freedlander E. and Kudesia G., Effect of

glycerol on intracellular virus survival: implications for the clinical use of glycerol-preserved cadaver skin, 356
Martinez-Ratero S., see Herruzo-Cabrera R., 106
Maruyama K., see Ono I., 352
McCabe M., see Evans R. J., 552
McCauley R. L., see Mlcak R. P., 337
McGregor J. C., see Sarhadi N. S., 91
McHugh M., see Carroll S. M., 379
McKenna S. R., Latenser B. A., Jones L. M., Barrette R. R., Sherman H. F. and Varcelotti J. R., Serious silver sulphadiazine and mafenide acetate dermatitis, 310
McKiernan M. V., Pape S. and McLean N. R., Initial experience of using GRAFTAC absorbable staples to attach split skin grafts, 597
McLean N. R., see McKierenan M. V., 597
McLouglin E., A simple guide to burn prevention, 215
McLoughlin E., A simple guide to burn epidemiology, 215
Meeuwisse J., see Weenk G., 98
Meininger M. S., see Balakrishnan C., 152, 392, 622
Miao M.-Y., see Wang X.-M., 362
Michelini J. A., see Trocki O., 17
Mikkelsen M. B., see Sheller J. P., 50
Milner S. M., Rylah L. T. A. and Bennett J. D. C., The Burn Wheel: a practical guide to fluid resuscitation, 288
Mlcak R. P., Desai M. H., Robinson E., McCauley R. L., Richardson J. and Herndon D. N., Increased physiological dead space/tidal volume ratio during exercise in burned children, 337
Moor E., see Alfie M., 147
Morris W., see Remensnyder J. P., 323
Muchardt O., see Sheller J. P., 50
Mühlbauer W., see Jostkliegrewe F., 297
Muller M. J., see Heggers J. P., 149
Müller-Lange P., see Brom J., 427
Murray D. J., see Chang P., 432
Murray G. D., see Sarhadi N. S., 612

Nahlieli O., Kelly J. P., Baruchin A. M., Ben-Meir P. and Shapira Y., Oro-maxillofacial skeletal deformities resulting from burn scar contractures of the face and neck, 65
Nakae H., Endo S., Inada K., Yamashita H., Yamada Y., Takakuwa T., Kasai T., Ogawa M. and Uchida K., Plasma concentrations of type II phospholipase A_2 cytokines and eicosanoids in patients with burns, 422
Nelissen M., see Vandeput J., 364
Newman A., see Alfie M., 147
Ngim R. C. K., see Wong M. K., 39
Noronha W. and Gore M. A., Thermal burns with injury to the intestine in a congenital hermia sac, 550

Obispo J. M., see Santos F. X., 445
Ogawa M., see Nakae H., 422
Okatyev V., see Remensnyder J. P., 323
Olson J. D., see Chang P., 432
Ono I., Gunji H., Zhang J.-Z., Maruyama K. and Kaneko F., A study of cytokines in burn blister fluid related to wound healing, 352
Oostromm C. A. M., see van der Velden E. M., 304
Otto W. R., see Sieber V. K., 249
Owen G., see Evans R. J., 552
Özogul C., see Gonül B., 7

Palmer D., see Evans R. J., 552
Papaevangelou J., Batchelor J. S. and Roberts A. H. N., Motor vehicle-related burns: a review of 107 cases, 36
Pape S., see McKiernan M. V., 597
Paranchych W., see Holder I. A., 441
Partridge J. and Robinson E., Psychological and social aspects of burns, 453
Patrick S., see Adeniran A., 521
Pellet S., see Csönge L., 102
Pennell B. J., see Chang P., 432
Perbix W., see Haum A., 194
Pérez L., see Santos F. X., 445
Peterson H. F., see Sheridan R. L., 127
Piccolo M. T. S. and Sannomiya P., Inhibition of neutrophil chemotaxis by plasma of burned patients effect of blood transfusion practice, 569
Poblet E., see Rico Aguado A., 383
Pojda Z., see Struzyna J., 437
Polk Jr H. C., see Viscardi P. J., 526
Poon A. M. S., see Mak A. S. Y., 301
Prasad J. K., see Balakrishnan C., 34
Prasad J. K., see Balakrishnan C., 152
Prodeus P., see Remensnyder J. P., 323

Quinby Jr W. C., see Sheridan R. L., 62
Quine S., see Duggan D., 83

Rak T. P., see Balakrishnan C., 622
Raveh T., see Alfie M., 147
Ray J. G., Burns in young children: a study of the mechanism of burns in children aged 5 years and under in the Hamilton, Ontario Burn Unit, 463
Reid W. H., see Sarhadi N. S., 612
Remensnyder J. P., Astrozjnikova S., Bell L., Budkevich L., Buletova A. A., DiCarlo J., Featherston D., Johnson L., Kolotukin A., Krassovsky V., Ktsoev R., Lebedev D., Lybarger P., Morris W., Okatyev V., Prodeus P., Vasilova L., Vozdvidzensky S. and Yankina N., Progress in a Moscow children's burn unit: a joint Russian-American collaboration, 323
Rey-Calero J., see Herruzo-Cabrera R., 106
Richardson J., see Mlcak R. P., 337
Riches D. J., see Sieber V. K., 249
Rico Aguado A., Hoguín Holgado P., Cárcamo Hermoso C. and Poblet E., Exuberant granulation tissue mimicking vascular tumours associated with burns, 383
Robbins S. T., see Trocki O., 17
Roberts A. H. N., see Papaevangelou J., 36
Robinson E., see Mlcak R. P., 337
Robinson E., see Partridge J., 453
Rode H., see Brown R. A., 371
Rodríguez C., see Santos F. X., 445
Ronald G., see Holder I. A., 441
Rossi L. A. F., see Adeniran A., 521
Rouabhia M., see Germain L., 175
Russell J. B., see Wallace B. H., 590
Russell R. C., see Hussmann J., 530
Ryan C. M., see Sheridan R. L., 62
Rylah L. T. A., see Milner S. M., 288

Saffle J. R. and Davis B. L., A simple guide to the burn registry, 215
Salinas V., see Herrero F., 308
Sannomiya P., see Piccolo M. T. S., 569
Santos F. X., Escudero M., Pérez L., Lozano T., Obispo J. M., Hamann C. and Rodríguez C., Comparison of the effects of nerve growth factor and superoxide dismutase on vascular extravasation in experimental burns, 445
Sarhadi N. S., Kincaid R., McGregor J. C. and Watson J. D., Burns in the elderly in the South East of Scotland: review of 176 patients treated in the Bangour Burns Unit (1982–91) and burn inpatients in the region (1975–91), 91
Sarhadi N. S., Murray G. D. and Reid W. H., Trends in burn admissions in Scotland during 1970–92, 612
Schlüter B., see Brom J., 427
Scuderi N., see Adamo C., 536
Sekhon M. S., see Kumar R., 96
Selmanpakoğlu N., see Şengezer M., 467
Şengezer M., Duman H. and Selmanpakoğlu N., Electrical burn caused by contact of radio receiver antenna with overhead cables, 467
Seth R. K., see Kumar R., 96
Skakespeare P. G., see Cadier M. A., 200
Shakespeare P., see Adeniran A., 521
Shapira Y., see Nahlieli O., 65
Sheller J. P., Muchardt O., Jønsson B. and Mikkelsen M. B., Burn injuries caused by fireworks: effect of prophylaxis, 50
Sheng C. Y., see Guo Z.-R., 139
Sheng Z. Y., (Sheng C. Y.), see Yao Y. M., 255
Sheng Z.-Y., (Sheng C. Y.), see Yao Y.-M., 580
Sheridan R. L., Ryan C. M., Quinby Jr W. C., Blair J., Tompkins R. G. and Burke J. F., Emergency management of major hydrofluoric acid exposures, 62
Sheridan R. L., Weber J. M., Peterson H. F. and Tompkins R. G., Central venous catheter sepsis with weekly catheter change in paediatric burn patients: an analysis of 221 catheters, 127
Sherman H. F., see McKenna S. R., 310
Sieber V. K., Otto W. R. and Riches D. J., Cytotoxicity of wound dressing materials assessed using cultured skin equivalents, 249
Smith G. S., see Forjuoh S. N., 24
Sobiczewska E., see Struzyna J., 437
Søgaard A. J., see Ytterstad B., 259
Spencer S. A., see Still Jr J. M., 167
Spilker G., see Haum A., 194
Stark G. B., see Haum A., 194
Still Jr J. M., Law E. J., Belcher K. E. and Spencer S. A., A comparison of susceptibility to five antifungal agents of yeast cultures from burn patients, 167
Still Jr J. M., Belcher K. and Law E. J., Management of candida septicaemia in a regional burn unit, 594
Struzyna J., Pojda Z., Braun B., Chomicka M., Sobiczewska E. and Wremble J., Serum cytokine levels (IL-4, IL-6, IL-8, G-CSF, GM-CSF) in burned patients, 437
Susak Z., see Isakov E., 616
Suzuki K., see Hataya Y., 313
Szenes A., see Csönge L., 102

Takakuwa T., see Nakae H., 422
Tanner J. C., see Vandeput J., 364
Taylor W. R. J., see Zekri A. M. B., 586
Tendler M., see Lindenbaum E. S., 110
Terrab S., see Boukind E. H., 349
Tian H.-M., see Yao Y.-M., 255, 580
Tompkins R. G., see Sheridan R. L., 62
Tompkins R. G., see Sheridan R. L., 127
Toršová V., Chmelařová E., Doleček R., Adámkova M. and Tymonová J., Evaluation of the effects of a new Water-Jel system on specific bacterial and yeast strains in laboratory conditions, 47
Trocki O., Michelini J. A., Robbins S. T. and Eichelberger M. R., Evaluation of early enteral feeding in children less than 3 years old with smaller burns (8–25 per cent TBSA), 17
Trop M., Waniek G., Zobel G., Waniek E., Bärnthaler J., Hellbom B. and Grubbauer H. M., Procel burn cover used as a total body dressing in burns, 544
Tsai C. C., see Lai C. S., 458
Tsai C. W., see Lai C. S., 458
Tung M. K., see Mak A. S. Y., 301
Tung Y. M., see Wang H.-J., 503
Tymonová J., see Toršová V., 47

Uçar N., see Haberbal M., 601
Uchida K., see Nakae H., 422
Ulrich Steinau H., see Brom J., 427
Uysal A., see Karacaoğlan N., 546

van Unen E., see Weenk G., 98
van Ess I., see Weenk G., 98
van der Hulst J., see Weenk G., 98
van der Velden E. M., Baruchin A. M., Jairath D., Oostrom C. A. M. and Ijsselmuiden O. E., Dermatography: a method for permanent repigmentation of achromnic burn scars, 304
Vandeput J., Nelissen M., Tanner J. C. and Boswick J., A review of skin meshers, 364
Vanderkelen A., see Lagey K., 542

Vanderpool R. D., see Wallace B. H., 590
Varcelotti J. R., see McKenna S. R., 310
Vasilova L., see Remensnyder J. P., 323
Vilasco B. and Bondurand A., Burns in Abidjan, Cote D'Ivoire, 291
Vindenes H. and Bjerknes R., Microbial colonization of large wounds, 575
Viscardi P. J. and Polk Jr H. C., Outcome of amputations in patients with major burns, 526
Voinchet V., Bardot J., Echinard C., Aubert J. P. and Magalon G., Advantages of early burn excision and grafting in the treatment of burn injuries of the anterior cervical region, 143
Volpel K., see Holder I. A., 441
Vonella M., see Adamo C., 536
Vozdvidzensky S., see Remensnyder J. P., 323

Wainwright D. J., Use of an acellular allograft dermal matrix Allo-Derm in the management of full-thickness burns, 243
Wallace B. H., see Caldwell Jr F. T., 273, 280
Wallace B. H., Cone J. B., Vanderpool R. D., Bong P. J., Russell J. B. and Caldwell Jr F. T., Retrospective evaluation of admission criteria for paediatric electrical injuries, 590
Wang Y. P., see Yao Y. M., 255
Wang D. S., see Wang H. J., 340
Wang H. J. Chen T. M., Yang T. S., Wang D. S. and Lin S. Z., Regional skin blood flow in deep wounds: a preliminary report, 340
Wang X.-M., Yang L., Miao M.-Y., Chen K.-M., Zhu L.-P. and Liu S.-S., Activity changes of ATP synthase and adenylate kinase in rat-liver mitochondria during the early phase after burn injury, 362
Wang H.-H., Chen T. M., Cheng L. F., Cheng T. Y. and Tung Y. M., Human keratinocyte culture using porcine pituitary extract in serum-free medium, 503
Wang Y.-P., see Yao Y.-M., 580
Waniek E., see Trop M., 544
Waniek G., see Trop M., 544
Watson J. D., see Sarhadi N. S., 91
Weber J. M., see Sheridan R. L., 127
Weenk G., van Unen E., Meeuwisse J., van Ess I. and van der Hulst J., Assessment of the microbiological safety of enteral feeds when used with a prolonged feeding time, 98
Weil E., see Delay E., 449
Weinberg A., see Alfie M., 147
Wexler M. R., see Alfie M., 147
Wilson D. I. and Bailie F. B., Petrol – something nasty in the woodshed? A review of gasoline-related burns in a British burns unit, 539
Wong M. K. and Ngim R. C. K., Burns mortality and hospitalization time – a prospective statistical study of 352 patients in an Asian National Burn Centre, 39
Wood F. M., Quality assurance in burn patient care: the James Laing Memorial Essay, 1994, 563
Wrembel J., see Struzyna J., 437
Wu J., Barisoni D. and Armato U., An investigation into the mechanisms by which human dermis does not significantly contribute to the rejection of allo-skin grafts, 11
Wurtz R., Karajovic M., Dacumos E., Jovanovic B. and Hanumadass M. Nosocomial infections in a burn intensive care unit, 181

Xiao J. and Cai B.-R., Classification and specificity of cement burns, 136
Xiao J. and Cai B.-R., Functional and occupational outcome in patients surviving massive burns, 415

Yalin R., see Alican İ., 171
Yamada Y., see Nakae H., 422
Yamashita H., see Nakae H., 422
Yamazaki M., see Hataya Y., 313
Yang Z.-C., see Liu X.-S., 29
Yang H.-M., see Guo Z.-R., 139
Yang H. M., see Yao Y. M., 255
Yang T. S., see Wang H. J., 340
Yang L., see Wang X.-M., 362
Yankina N., see Remensnyder J. P., 323
Yano K., Hosokawa K., Kakibuchi M., Hikasa H. and Hata Y., Effects of washing acid injuries to the skin with water: an experimental study using rats, 500
Yao Y. M., Sheng Z. Y., (Sheng C. Y.), Tian H. M., Yu Y., Wang Y. P., Yang H. M., Guo Z. R. and Gao W. Y., The association of circulating endotoxaemia with the development of multiple organ failure in burned patients, 255
Yao Y.-M., Yu Y., Sheng Z.-Y., (Sheng C. Y.), Tian H.-M., Wang Y.-P., and Lu L.-R. Role of gut-derived endotoxaemia and bacterial translocation in rats after thermal injury: effects of selective decontamination of the digestive tract, 580
Yeğen C., see Alican İ., 171
Yeğen B. C., see Alican İ., 171
Yeung R., see Zekri A. M. B., 586
Ytterstad B. and Søgaard A. J., The Harstad Injury Prevention Study: prevention of burns in small children by a community-based intervention, 259
Yu Y., see Yao Y.-M., 255, 580

Zagaria N., see Adamo C., 536
Zamboni W. A., see Hussmann J., 530
Zapata-Sirvent R. L., Hansbrough J. F. and Greenleaf G., Effects of small-volume bolus treatment with intravenous normal saline and 7.5 per cent saline in combination with 6 per cent dextran-40 on metabolic acidosis and survival in burned mice, 185
Zekri A. M. B., King W. W. K., Yeung R. and Taylor W. R. J., Acute mass burns caused by *o*-chlorobenzylidene malononitrile (CS) tear gas, 586
Zerouali N. O., see Boukind E. H., 349
Zhang J.-Z., see Ono I., 352
Zhu L.-P., see Wang X.-M., 362
Zobel G., see Trop M., 544

SUBJECT INDEX

10-year study
  self-immolation deaths, suicide attempted, 607
6 per cent dextran-40
  metabolic acidosis, survival in burned mice, small-volume bolus treatment, intravenous normal saline, 7.5 per cent saline, 185
7.5 per cent saline
  6 per cent dextran-40, metabolic acidosis, survival in burned mice, small-volume bolus treatment, intravenous normal saline, 185
A.B. Wallace Memorial Lecture, 1994
  aspects of burns and burns research, Birmingham Accident Hospital, 403
abdomen
  harvesting split-thickness skin grafts, 610
acceleration of wound healing
  guinea-pigs, serum-free cell culture medium, 110
acellular allograft
  dermal matrix, Allo-derm, full-thickness burns, 243
achromic burn scars
  dermatography, permanent repigmentation, 304
acid injuries
  skin, washing with water, rats, 500
acute mass burns
  o-chlorobenzylidene malononitrile (CS), tear gas, 586
acute renal failure
  burns, 469
acute shock stage
  extensive wound excision, 139
adenylate kinase
  rat-liver mitochondria, ATP synthase, 362
adhesion molecule CD11b
  polymerization of actin, polymorphonuclear granulocytes, patients early burn excision, anterior cervical region, 143
  endangered by sepsis, 427
admission criteria
  paediatric electrical injuries, retrospective evaluation, 590
adrenal demedullated burned rats
  alpha adrenergic blockade, thermo-regulation, 280
adrenal medullectomy
  heat production, plasma catecholamines, body temperature, burned rats, temperature of the hypothalamus, 273
alcohol and drug abuse
  drug abuse, burn injuries, 194
algorithmic approach
  treatment of hydrofluoric acid burns, 495
alkali burned corneal healing
  wound healing, mice, EGF 7
Allo-derm
  full-thickness burns, acellular allograft, dermal matrix, 243
allo-skin grafts
  human dermis, rejection 11
alpha adrenergic blockade
  thermo-regulation, adrenal demedullated burned rats, 280
alternative method of skin grafting
  scalp microdermis graft, 374
amputation
  patients with major burns, outcome, 526
  bilateral, hydrotherapy tank burns, paraplegic patient, 70
Angola
  epidemiological data, burn injuries, 536
Ankara Turkey
  desirable burn-prevention strategies, epidemiological survey, burns, 601
anterior cervical region
  early burn excision, 143
antibiogram analysis
  Pseudomonas aeruginosa, RFLP, O antigen serotyping, 441
antibiotics
  preservation of allograft skin, preservation of xenograft skin, 102
ascariasis pneumonitis
  complication, smoke inhalation injury, 149
Asian National Burn Centre
  burns mortality, hospitalization time, statistical study 39
aspects of burns and burns research
  Birmingham Accident Hospital, A.B. Wallace Memorial Lecture, 1994, 403
ATP synthase
  adenylate kinase, rat-liver mitochondria, 362
attach split skin grafts
  GRAFTAC absorbable staples, 597
audit
  intensive care, burn patients, 513

bacterial colonization
  burn wounds, changed care environment, 521
bacterial translocation
  burned rats after thermal injury, selective decontamination, digestive tract, gut-derived endotoxaemia, 580
bacteriuria 3
Bangour Burns Unit (1982–91)
  burns in the elderly, South East of Scotland, 91
basement membrane formation
  cultured epidermal sheets, thermolysin, dispase, 175
Berlin, Duisburg and Munich
  treatment of partial thickness burns, partial thickness burns, hand preshaped semipermeable, Procel burn cover, multicentre study, 297
Birmingham Accident Hospital
  A.B. Wallace Memorial Lecture, 1994, aspects of burns and burns research, 403
blood cross-match requirements
  early burn surgery, children, 371
blood transfusion practice
  neutrophil chemotaxis, plasma of burned patients, 569
blood temperature
  burned rats, temperature of the hypothalamus, adrenal medullectomy, heat production, plasma catecholamines, 273
British burns unit
  petrol, gasoline-related burns, 539
burn admissions
  Scotland 1970–1992, 612
burn blister fluid
  wound healing, cytokines, 352
burn injuries
  alcohol and drug abuse, drug abuse, 194
  Angola, epidemiological data, 536
  childhood, Casablanca, Morocco, 349
  fireworks, prophylaxis 50
  New South Wales, Australia, 83
burn patient
  caecal perforation, 619
burn patient care
  James Laing Memorial Essay, quality assurance, 563
burn patients
  audit, intensive care, 513
burn registry
  simple guides, treatment, epidemiology, prevention, 215
burn resuscitation
  intraosseous infusion, 285
burn risk
  elderly persons, residential care, 205
burn scar contracture repair
  running Y-V-plasty, 458
burn scar contracture, face and neck, oro-maxillofacial skeletal deformities, 65
burn unit admissions
  Dublin, Ireland: 1988–91, epidemiological review, 379
burn variables, survival, 517
burn wounds
  changed care environment, bacterial colonization, 521
burned nasal alae
  vascular island skin flaps, pedicled on the infraorbital vessels, 313
burned rats after thermal injury
  selective decontamination, digestive tract, gut-derived endotoxaemia, bacterial translocation, 580
burned rats, temperature of the hypothalamus, adrenal medullectomy, heat production, plasma catecholamines, body temperature, 273
burns
  acute renal failure, 469
  Ankara, Turkey, desirable burn-prevention strategies, epidemiological survey, 601
  in a developing country, hospital statistics, plan preventive strategies, 191
  in Abidjan, Cote D'Ivoire, 291
  in the elderly, South East of Scotland, Bangour Burns Unit (1982–91), 91
  in young children, children aged 5 years, Hamilton, Ontario Burn Unit, 463
  lymphoedematous extremity, 152
  mortality, hospitalization time, statistical study, Asian National Burn Centre 39
  neuropathic foot, therapeutic footbaths, 622
  octogenerians, 200
  plants, 542
  Procel burn cover, total body dressing, 544
  psychological aspects, social aspects, 453
  reflex sympathetic dystrophy, patellae, 616

caecal perforation
  burn patient 619
candida septicaemia
  regional burn unit, 594
Cape Town
  hot water burns 54
Casablanca, Morocco
  burn injuries, childhood, 349
caval venous system

central venous catheters, extensive thrombosis, 389
cement burns, 136
central venous catheter sepsis
weekly catheter change, paediatric burn patients, 127
central venous catheters
extensive thrombosis, caval venous system, 389
changed care environment
bacterial colonization, burn wounds, 521
child with burns
intraosseous infusion, intravascular administration, drugs and fluids, 552
childbood burns
Ghana, epidemiological characteristics, home-based treatment 24
childhood
Cabablanca, Morocco, burn injuries, 349
children aged 5 years
Hamilton, Ontario Burn Unit, burns in young children, 463
children
blood cross-match requirements, early burns surgery, 371
preputial skin, release of burn contractures, 301
smaller burns, early enteral feeding 17
children with burns
head and neck, tissue expansion, 209
circulating endotoxaemia
multiple organ failure, 255
clinical use
glycerol-preserved cadaver skin, glycerol, intracellular virus survival, 356
coagulation factors
postoperative blood loss, 432
community-based intervention
The Harstad Injury Prevention Study, small children, 259
complication
smoke inhalation injury, ascariasis pneumonitis, 149
congenital hernia sac
thermal burns, intestine, 550
contact of radio receiver antenna
overhead cables, electrical burn, 467
copper
zinc, selenium intakes, malondialdehyde excretion, major burns, 507
costal osteomyelitis
electrical burn, 147
critical care burn unit
mortality evolution, 106
cultured epidermal sheets
thermolysin, dispase, basement membrane formation, 175
cultured skin equivalents
cytotoxicity, wound dressing materials, 249
CVP line, pelvic abscess, methicillin-resistant *Staphylococcus aureus*, haematogenous spread, 387
cytokines
burn blister fluid, wound healing, 352
eicosanoids, plasma concentrations, type II phospholinase A_2, 422
cytotoxicity
wound dressing materials, cultured skin equivalents, 249

deep burn wounds
regional skin blood flow, 340
deep burn, epileptic seizures, 546
dermal matrix
Allo-derm, full-thickness burns, acellular allograft, 243
dermatitis
silver sulphadiazine, mafenide acetate, 310
dermatography
permanent repigmentation, achromic burn scars, 304
desirable burn-prevention strategies
epidemiological survey, burns, Ankara, Turkey, 601
diclofenac
non-steroidal anti-inflammatory drug, renal function, 471
different doses of gamma radiation
gamma radiation, modulation wound healing, Swiss albino mice, 163
digestive tract
gut-derived endotoxaemia, bacterial translocation, burned rats after thermal injury, selective decontamination, 580
dispase
basement membrane formation, cultured epidermal sheets, thermolysin, 175
nosocomial infections
intensive care unit, 181
double blind controlled trial
Prophylactic anti-lipopolysaccharide freeze-dried plasma, 267
drug abuse
burn injuries, alcohol and drug abuse, 194
drugs and fluids
child with burns, intraosseous infusion, intravascular administration, 552
Dublin, Ireland: 1988–91
epidemiological review, burn unit admissions, 379

early burn surgery
children, blood cross-match requirements, 371
early enteral feeding
children, smaller burns 17
effect on bacterial and yeast strains
Water-Jel system 47
EGF
alkali burned corneal healing, wound healing, mice 7
eicosanoids
plasma concentrations, type II phospholipase A_2, cytokines, 422
elderly persons
residential care, burn risk, 205
electrical burn
contact of radio receiver antenna, overhead cables, 467
costal osteomyelitis, 147
electrical injuries
morbidity, outcome, treatment rationale, 530
emergency management
major hydrofluoric acid exposure, 62
enteral feeds
prolonged feeding time, microbiological safety, 98
enzyme levels
serum lipid peroxide, other levels, 96
epidemiological characteristics
home-based treatment, childhood burns, Ghana 24
epidemiological data
burn injuries, Angola, 536
epidemiological review
burn unit admissioins, Dublin, Ireland: 1988–91, 379
epidemiological survey
burns, Ankara, Turkey, desirable burn-prevention strategies, 601
epidemiology
prevention, burn registry, simple guides, treatment, 215
epileptic seizures
deep burns, 546
exercise in burned children
physiological dead space, tidal volume ratio, 337
experimental burns
nerve growth factor, superoxide dismutase, vascular extravasation, 445
extensive thrombosis
caval venous system, central venous catheters, 389
extensive wound excision
acute shock stage, 139
extensively burned upper limbs
pedicled latissmus dorsi flap, 449
exuberant granulation tissue
vascular tumours, 383

face and neck
oro-maxillofacial skeletal deformities, burn scar contractures, 65
fireworks
prophylaxis, burn injuries 50
five antifungal agents
yeast cultures, susceptibility, 167
fluid resuscitation
The Burn Wheel, practical guide, 288
full thickness linear burn
lightning injury, melted silver necklace, 308
full thickness burns
acellular allograft, dermal matrix, Allo-derm, 243
functional outcome
occupational outcome, patients surviving massive burns, 415

gamma radiation
modulation wound healing, Swiss albino mice, different doses of gamma radiation, 163
gasoline-related burns
British burns unit, petrol, 539
gastric emptying
rats, thermal injury, 171
Ghana
epidemiological characteristics, home-based treatment, childhood burns 24
glycerol
intracellular virus survival, clinical use, glycerol-preserved cadaver skin, 356
glycerol-preserved cadaver skin
glycerol, intracellular virus survival, clinical use, 356
GRAFTAC absorbable staples
attach split skin grafts, 597
guinea-pigs
serum-free cell culture medium, acceleration of wound healing, 110
gut-derived endotaxaemia
bacterial translocation, burned rats after thermal injury, selective decontamination, digestive tract, 580

haematogenous spread
CVP line, pelvic abscess, methicillin-resistant *Staphylococcus aureus*, 387
Hamilton, Ontario Burn Unit
burns in young children, children aged 5 years, 463
hands preshaped semipermeable
Procel Burn Cover, multicentre study, Berlin, Duisburg and Munich, treatment of partial thickness burns, partial thickness burns, 297
harvesting split-thickness skin grafts
abdomen, 610
head and neck
tissue expansion, children with burns, 209
heat production
plasma catecholamines, body temperature, burned rats, temperature of the hyphthalamus, adrenal medullectomy, 273
home-based treatment
childhood burns, Ghana, epidemiological characteristics 24
hospital statistics
plan preventive strategies, burns in a developing country, 191
hospitalization time
statistical study, Asian National Burn Centre, burns mortality 39
hot water burns
Cape Town 54
human dermis
rejection, allo-skin grafts 11
human keratinocyte culture

porcine pituitary extract, serum-free medium, 503
humoral and cellular immune components
prophylactic intravenous immunoglobulin-G therapy, 130
hydrofluoric acid burns, 483
hydrotherapy tank burns
paraplegic patient, bilateral amputations, 70

intensive care
burn patients, audit, 513
intensive care unit
nosocomial infections, 181
interleukin-1
organ dysfunction, tumour necrosis factor 29
intestine
congenital hernia sac, thermal burns, 550
intracellular virus survival
clinical use, glycerol-preserved cadaver skin, glycerol, 356
intraosseous infusion
burn resuscitation, 285
intravascular administration, drugs and fluids, child with burns, 552
intravascular administration
drugs and fluids, child with burns, intraosseous infusion, 552
intravenous normal saline
7.5 per cent saline, 6 per cent dextran-40, metabolic acidosis, survival in burned mice, small-volume bolus treatment, 185

James Laing Memorial Essay 1993
rehabilitation of the burned patient, 116
James Laing Memorial Essay 1994
quality assurance, burn patient care, 563
joint Russian-American collaboration
Moscow children's burn unit, 323

large wounds
microbial colonization, 575
lightning injury
melted silver necklace, full thickness linear burn, 308
lymphoedematous extremity
burns, 152

mafenide acetate
dermatitis, silver sulphadiazine, 310
major burns
copper, zinc, selenium intakes, malondialdehyde excretion, 507
major hydrofluoric acid exposure
emergency management, 62
malondialdehyde excretion
major burns, copper, zinc, selenium intakes, 507
melted silver necklace
full thickness linear burn, lightning injury, 308
metabolic acidosis
survival in burned mice, small-volume bolus treatment, intravenous normal saline
7.5 per cent saline, 6 per cent dextra-40, 185
metabolic complication
severe burns, 212
metastatic endophthalmitis, 72
methicillin-resistant *Staphylococcus aureus*
haematogenous spread, CVP line, pelvic abscess, 387
mice
EGF, alkali burned corneal healing, wound healing 7
microbial colonization
large wounds, 575
microbiological safety
enteral feeds, prolonged feeding time, 98
migrated skin staples
stenosing tenosynovitis, 392
modulation wound healing
Swiss albino mice, different doses of gamma radiation, gamma radiation, 163
morbidity
outcome, treatment rationale, electrical injuries, 530
mortality evolution
critical care burn unit, 106
Moscow children's burn unit
joint Russian-American collaboration, 323
motor vehicle-related burns 36
multicentre study
Berlin, Duisburg and Munich, treatment of partial thickness burns, partial thickness burns, hand preshaped semipermeable, Procel burn cover, 297
multiple organ failure
circulating endotoxaemia, 255

nerve growth factor
superoxide dismutase, vascular extravasation, experimental burns, 445
neuropathic foot
therapeutic footbaths, burns, 622
neutrophil chemotaxis
plasma of burned patients, blood transfusion practice, 569
New South Wales, Australia
burn injuries, 83
non-steroidal anti-inflammatory drug
renal function, diclogenac, 471

O antigen serotyping
antiobiogram analysis, *Pseudomonas aeruginosa*, RFLP, 441
o-chlorobenzylidene malononitrile (CS)
tear gas, acute mass burns, 586
occupational outcome
patients surviving massive burns, functional outcome, 415
octogenerians
burns, 200
organ dysfunction
tumour necrosis factor, interleukin-1 29
oro-maxillofacial skeletal deformities
burn scar contractures, face and neck, 65
other levels
enzyme levels, serum lipid peroxide, 96
outcome
amputation patients with major burns, 526
treatment rationale, electrical injuries, morbidity, 530
overhead cables
electrical burn, contact of radio receiver antenna, 467

paediatric burn patients
central venous catheter sepsis, weekly catheter change, 127
paediatric electrical injuries
retrospective evaluation, admission criteria, 590
pain in burn patients, 344
paraplegic patient
bilateral amputations, hydrotherapy tank burns, 70
partial thickness burns
hand preshaped semipermeable, Procel Burn Cover, multicentre study, Berlin, Duisburg and Munich
treatment of parital thickness burns, 297
patellae
burns, reflex sympathetic dystrophy, 616
patients endangered by sepsis
adhesion molecule CD11b, polymerization of actin, polymorphonuclear granulocytes, 427
patients surviving massive burns
functional outcome, occupational outcome, 415
patients with major burns
outcome, amputation, 526
pedicled latissimus dorsi flap
extensively burned upper limbs, 449
pedicled on the infraorbital vessels
burned nasal alae, vascular island skin flaps, 313
pelvic abscess
methicillin-resistant *Staphylococcus aureus*, haematogenous spread, CVP line, 387
perineal burns
spouse abuse 34
permanent repimentation
achromic burn scars, dermatography, 304
petrol
gasoline-related burns, British burns unit, 539
physiological dead space
tidal volume ratio, exercise in burned children, 337
plan preventive strategies
burns in a developing country, hospital statistics, 191
plants
burns, 542
plasma catecholamines
body temperature, burned rats, temperature of the hypothalamus, adrenal medullectomy, heat production, 273
plasma concentrations
type II phospholipase A_2, cytokines, eicosanoids, 422
plasma of burned patients
blood transfusion practice, neutrophil chemotaxis, 569
polymerization of actin
polymorphonuclear granulocytes, patients endangered by sepsis, adhesion molecule CD11b, 427
polymorphonuclear granulocytes
patients endangered by sepsis, adhesion molecule CD11b, polymerization of actin, 427
porcine pituitary extract
serum-free medium, human keratinocyte culture, 503
postoperative blood loss
coagulation factors, 432
practical guide
fluid resuscitation, The Burn Wheel, 288
preputial skin
release of burn contractures, children, 301
preservation of allograft skin
preservation of xenograft skin, antibiotics, 102
preservation of xenograft skin
antibiotics, preservation of allograft skin, 102
prevention
burn registry, simple guides, treatment, epidemiology, 215
Procel burn cover
total body dressing, burns, 544
multicentre study, Berlin, Duisburg and Munich, treatment of partial thickness burns, partial thickness burns, hand preshaped semipermeable, 297
prlonged feeding time
microbiological safety, enteral feeds, 98
prophylactic intravenous immunoglobulin-G therapy
humoral and cellular immune components, 130
Prophylactic anti-lipopolysaccharide freeze-dried plasma
double blind controlled trial, 267
prophylaxis
burn injuries, fireworks 50
Pseudomonas aeruginosa
RFLP, O antigen serotyping, antibiogram analysis, 441
psychological aspects
social aspects, burns, 453

quality assurance
burn patient care, James Laing Memorial Essay, 563

rat-liver mitochondria
ATP synthase, adenylate kinase, 362
rats
acid injuries, skin, washing with water, 500
thermal injury, gastric emptying, 171
reflex sympathetic dystrophy
patellae, burns 616
regional burn unit

candida septicaemia, 594
regional skin blood flow
deep burn wounds, 340
rehabilitation of the burned patient
James Laing Memorial Essay 1993, 116
rejection
allo-skin grafts, human dermis 11
release of burn contractures, children, preputial skin, 301
renal function
diclofenac, non-steroidal anti-inflammatory drug, 471
residental care
burn risk, elderly persons, 205
retrospective evaluation
admission criteria, paediatric electrical injuries, 590
review
skin meshers, 364
RFLP
O antigen serotyping, antiobiogram analysis, *Pseudomonas aeruginosa*, 441
running Y-V-plasty
burn scare contracture repair, 458

scalp microdermis graft
alternative method of skin grafting, 374
Scotland 1970–1992
burn admissions, 612
selective decontamination
digestive tract, gut-derived endotoxaemia, bacterial translocation, burned rats after thermal injury, 580
selenium intakes
malondialdehyde excretion, major burns, copper, zinc, 507
self-immolation deaths
suicide attempted, 10-year study 607
serum cytokine levels: IL-4, IL-6, IL-8, G-CSF, GM-CSF, 437
serum-free cell culture medium
acceleration of wound healing, guinea-pigs, 110
serum-free medium
human keratinocyte culture, porcine pituitary extract, 503
serum lipid peroxide
other levels, enzyme levels, 96
severe burns
metabolic complication, 212
silver sulphadiazine
mafenide acetate, dermatitis, 310
simple guides
treatment, epidemiology, prevention, burn registry, 215
skin meshers
review, 364
skin
rats, washing with water, acid injuries, 500
small children
community-based intervention, The Harstad Injury Prevention Study, 259
small-volume bolus treatment
intravenous normal saline, 7.5 per cent saline, 6 per cent dextra-40, metabolic acidosis, survival in burned mice, 185
smaller burns
early enteral feeding, children 17
smoke inhalation injury
ascariasis pneumonitis, complication, 149
social aspects
burns, psychological aspects, 453
South East of Scotland
Bangour Burns Unit (1982–91), burns in the elderly, 91
spouse abuse
perineal burns 34
statistical study
Asian National Burn Centre, burns mortality, hospitalization time, 39
stenosing tenosynovitis
migrated skin staples, 392
suicide attempted
10-year study, self-immolation deaths, 607
superoxide dismutase
vascular extravasation, experimental burns, nerve growth factor, 445
survival
burn variables, 517
survival in burned mice
small-volume bolus treatment, intravenous normal saline, 7.5 per cent saline, 6 per cent dextran-40, metabolic acidosis, 185
susceptibility
five antifungal agents, yeast cultures, 167
Swiss albino mice
different doses of gamma radiation, gamma radiation, modulation wound healing, 163

tannic acid
topical agent in burns, 57
tear gas
acute mass burns, *o*-chlorobenzylidene malononitrile (CS), 586
temperature of the hypothalamus
adrenal medullectomy, heat production, plasma catecholamines, body temperature, burned rats, 273
The Burn Wheel
practical guide, fluid resuscitation, 288
The Harstad Injury Prevention Study
small children, community-based intervention, 259
therapeutic footbaths
burns, neuropathic foot, 622
thermal burns
intestine, congenital hernia sac, 550
thermal injury
gastric emptying rats, 171
thermo-regulation
adrenal demedullated burned rats, alpha adrenergic blockade, 280
thermolysin
dispase, basement membrane formation, cultured epidermal sheets, 175
tidal volume ratio
exercise in burned children, physiological dead space, 337
tissue expansion
children with burns, head and neck, 209
topical agents in burns
tannic acid, 57
total body dressing
burns, Procel burn cover, 544
treatment
epidemiology, prevention, burn registry, simple guides, 215
of hydrofluoric acid burns, an algorithmic approach, 495
of partial thickness burns, partial thickness burns, hand prehaped semipermeable, Procel burn cover, multicentre study, Berlin, Duisburg and Munich, 297
rationale, electrical injuries, morbidity, outcome, 530
tumour necrosis factor
interleukin-1, organ dysfunction 29
type II phospholipase A_2
cytokines, eicosanoids, plasma concentrations, 422

vascular extravasation
experimental burns, nerve growth factor, superoxide dismutase, 445
vascular island skin flaps
pedicled on the infraorbital vessels, burned nasal alae, 313
vascular tumours
exuberant granulation tissue, 383

washing with water
acid injuries, skin, rats, 500
Water-Jel system
effect on bacterial and yeast strains 47
weekly catheter change
paediatric burn patients, central venous catheter sepsis, 127
wound dressing materials
cultured skin equivalents, cytotoxicity, 249
wound healing
cytokines, burn blister fluid, 352
mice, alkali burned corneal healing, EGF 7

yeast cultures
susceptibility, five antifungal agents, 167

zinc
selenium intakes, malondialdehyde excretion, major burns, copper, 507